

Comodo Endpoint Manager

Software Version 6.26

Quick Start Guide

Guide Version 6.26.021219

Endpoint Manager - Quick Start

This tutorial explains how to add users and devices, create device groups and deploy configuration profiles.

Step 1 - Enrollment and Configuration

Step 2 - Configure EM Communications

Step 3 - Add Users

Step 4 - Enroll User Devices

Step 5 - Create Groups of Devices (optional)

Step 6 - Create Configuration Profiles

Step 7 - Apply profiles to devices or device groups

Note - Endpoint Manager needs to communicate with Comodo servers and managed devices in order to send commands and run updates. You need to configure your firewall accordingly to allow these connections. Required IPs, host-names and ports are provided in **Appendix 1a** and **Appendix 1b** of the Admin Guide.

Step 1 - Enrollment and Configuration

Existing Comodo One and ITarian customers


- Log in to your Comodo One / ITarian account
- Click 'Licensed Applications' > 'Endpoint Manager'.

New customers

You can subscribe for Endpoint Manager from Comodo One or ITarian. The enrollment steps are similar for both.

Comodo One:

- Visit <https://one.comodo.com/>




- Select your region and click 'Get Access Now'

- You will be taken to the **sign-up wizard**.

ITarian:

- Visit <https://www.itarian.com/>



- Select your region and click 'SignUp' on the top right
- You will be taken to the sign-up wizard:

100% Free - No Payment

Activate in under 5 minutes, no credit card required.

Email Address

[**GET STARTED NOW** ➔](#)

- Enter your email address and click 'Get Started Now'
- Next, complete the short registration form:

Welcome

Create a password to sign in

Email Address

Password

Phone Number

SIGN UP NOW >

By clicking "SIGN UP NOW", you agree to our [terms and conditions](#)

- **Email** - This is pre-populated with the address you provided in the previous step. Enter a new email address if you wish to change it. You will receive the verification link to this email address.
- **Password** - Create a password for your C1 or ITarian account. Password rules:
 - At least eight characters long
 - Contain a mix off lower case and upper case letters
 - Contain at least one numeral
 - Contain at least one of the following special characters - '(!"#\$%^&*")'
- **Telephone Number** - Primary contact number
- **End User License Agreement:** Read the EULA fully by clicking the 'terms and conditions' link.

Click 'Sign Up Now'.


Thank you choosing ITarian

Here's what happens next:

- 1 Choose a password**
For your administrator account.
- 2 Check your email**
Click the activation link in the mail. If you did not receive an email, [click here](#)
- 3 Sign In to manage your IT systems**

- An account confirmation email is sent to your address.
 - Click the link under step 2 if you want us to resend the verification email.

- Click 'Verify my email' to activate your account:



You will be taken to the C1 / ITarian login page after successful verification:

Great to have you back!

Welcome to ITarian. You can now login with your email and password.

Username

Password

Remember Me [Forgot password?](#)

SIGN IN

New here? [Create an account](#)

- Enter your email address and password and click 'Sign In'.
- You need to complete account registration after your first-login:

[Logout](#)

Setup Account Details

Business Type * [\(Compare Business Types\)](#)

Managed Service Provider

Enterprise

Subdomain/Company* ?

Your custom support URL for your end-users:
[ACME.servicedesk.comodo.com](#)

Submit

- **Business Type** - Choose the version of Comodo One / ITarian you require. The modules offered with each version are as follows:

MSP	Enterprise
Modules included in the Base package	
Service Desk Endpoint Manager (EM) Dome Shield	Service Desk Endpoint Manager (EM) Dome Shield
Modules that can be added to the base package	
Acronis Cloud Backup Quote Manager Customer Relationship Management (CRM) cWatch Comodo Dome Secure Web Gateway Comodo Dome Antispam MSP Comodo Dome Firewall Central Manager Comodo Dome Firewall Virtual Appliance cWatch EDR	Acronis Cloud Backup Quote Manager Customer Relationship Management (CRM) cWatch Comodo Dome Secure Web Gateway Comodo Dome Data Protection Comodo Dome Firewall Central Manager Comodo Dome Firewall Virtual Appliance Comodo Dome Antispam cWatch EDR

- More details on C1 modules - <https://help.comodo.com/topic-289-1-716-8478-Introduction-to-Comodo-One-MSP.html>.

- More details on ITarian modules - <https://help.comodo.com/topic-452-1-946-13050-Introduction-to-ITarian.html>.
- **Subdomain** - The sub-domain forms part of the unique URL you use to access EM. For example, if you enter the sub-domain 'dithers' then you will access EM at <https://dithers.cmdm.comodo.com>
- Click 'Submit'

The next screen shows a summary of your active services:

ITarian MSP Logout

Free Services Out of Box

- ✓ **Service Desk** READY

 - Automated Service Ticketing System
 - Multi-Site Help Desk Management
 - Fully Integrated One-View Dashboard for Our 3 Free Tool

- ✓ **Endpoint Manager** READY

 - Remote Device Monitoring and Management
 - Remote Device Control
 - Patch Management
 - Application Management
 - Advanced Endpoint Protection with the World-Best Containment Technology (Free for 1 month)
 - Mobile Device Management

- ✓ **Dome Shield** - Free up to 300k DNS requests per month READY

 - Cloud-delivered, DNS-based Security
 - Advanced Threat Protection (Malware, Phishing, Botnet and more)
 - Web-Filtering
 - Off-Network Protection
 - Mobile Device Coverage

ITarian MSP Forum Subscription for FREE

You are now a member of our MSP Forum partnership community where you can provide your insight, engage in discussion boards as well as gain support from a network of partners and highly skilled technology developers.

Your [MSP Forum](#) username is your subdomain prefix that you've created. The password is the same as your ITarian MSP login.

OK

- Click 'OK' to finish setup. You will be taken to the Comodo One / ITarian Dashboard
- Click 'Licensed Applications' > 'Endpoint Manager' to open the EM console

- This account will be given master 'Account Admin' privileges and cannot be deleted. You will be able to create administrators and staff under this account
- Admins/users who enrolled via C1 / ITarian can login at <https://one.comodo.com/app/login>
- Admins/users created in EM can login at <https://<company name>.cmdm.comodo.com/>

Step 2 - Configure EM Communications

You need to install an Apple Push Notification (APN) certificate and a Google Cloud Messaging (GSM) token on your portal so Endpoint Manager can communicate with managed devices.

The following sections explain how to:


- **Add an APN Certificate**
- **Add a GCM Token**

Add Apple Push Notification certificate

- You need to install an Apple Push Notification (APN) certificate on your EM instance if you wish to manage iOS or Mac devices.
- You can enroll for an APN certificate using your Apple account. If you do not have an Apple account then please create one at <https://appleid.apple.com>. A free account is enough.
- The certificate is valid for one year. Endpoint Manager will remind you when your certificate is nearing expiry. It is free to renew the certificate each year.
- Follow the steps below to obtain and install an APN certificate:

Step 1- Generate your PLIST

- Click 'Settings' > 'Portal Set-Up'
- Click the 'APNs Certificate' tab.



- Click the 'Create APNs Certificate' button to open the APNs application form.

The fields on this form are for generating a Certificate Signing Request (CSR):

Generation of APNs Certificate ✕

Country name *

Apple ID *

State or province name *

Locality name (e.g, city) *

Organization name *

Organizational unit *

Organizational Unit Name (e.g, section)

Common name *

(e.g., server FQDN or YOUR name)

- Complete all fields marked with an asterisk and click 'Create'. This will send a request to Comodo to sign the CSR and generate an Apple PLIST.
- You need to submit this to Apple in order to obtain your APN certificate:

Upload APNs Certificate

Save

To get the certificate for communication between server and Apple devices you need to:

1. Download: [The Apple PLIST Signed by Comodo](#)
2. Login to the [Apple Push Certificate Portal](#) with your regular Apple ID (free account is enough).
3. Upload the PLIST from step 1 to the Apple portal. Apple will use this to generate your certificate.
4. Download your certificate from Apple. It will be in .PEM format.
5. Click 'Browse', select your certificate, and click 'Save' to upload it to ITSM

Select .PEM file

- Download your Apple PLIST from the link in step 1. This is a file with a name similar to 'COMODO_Apple_CSR.csr'. Please save this to your local drive.

Step 2 -Obtain Your Certificate From Apple

- Login to the 'Apple Push Certificates Portal' with your Apple ID at <https://identity.apple.com/pushcert/>.
- If you do not have an Apple account then please create one at <https://appleid.apple.com>.
- Once logged in, click 'Create a Certificate'.




You will need to agree to Apple's EULA to proceed.

The screenshot shows the 'Terms of Use' page in the Apple Push Certificates Portal. At the top right, the user 'herculespopular22@gmail.com' is logged in with a 'Sign out' button. The main heading is 'Terms of Use'. Below it, a warning states: 'PLEASE READ THE FOLLOWING LICENSE AGREEMENT TERMS AND CONDITIONS CAREFULLY BEFORE DOWNLOADING OR USING THE APPLE CERTIFICATES. THESE TERMS AND CONDITIONS CONSTITUTE A LEGAL AGREEMENT BETWEEN YOUR COMPANY/ORGANIZATION AND APPLE.' The section is titled 'MDM Certificate Agreement (for companies deploying mobile device management for iOS and/or OS X products)'. Under 'Purpose', it explains that the company wants to use MDM Certificates for mobile device management. Section '1. Accepting this Agreement; Definitions' includes '1.1 Acceptance', which states that users must agree to the license agreement before using the certificates. At the bottom, there is a checkbox labeled 'I have read and agree to these terms and conditions.' which is checked. Below the checkbox are buttons for 'Decline' and 'Accept', and a link for 'Printable Version >'. A globe graphic with a green dot and a yellow sun is on the right side of the page.

- On the next page, click 'Choose File', navigate to the location where you stored 'COMODO_Apple_CSR.csr' and click 'Upload'.

The screenshot shows the 'Create a New Push Certificate' page in the Apple Push Certificates Portal. At the top right, the user 'herculespopular22@gmail.com' is logged in with a 'Sign out' button. The main heading is 'Create a New Push Certificate'. Below it, instructions state: 'Upload your Certificate Signing Request signed by your third-party server vendor to create a new push certificate.' There is a 'Notes' section with an empty text box. Below that, the 'Vendor-Signed Certificate Signing Request' field contains the file path 'E:\work\ITSM\COMODO_' followed by a 'Browse...' button. At the bottom, there are 'Cancel' and 'Upload' buttons. A globe graphic with a green dot and a yellow sun is on the right side of the page.


Apple servers will process your request and generate your push certificate. You can download your certificate from the confirmation screen:



- Click the 'Download' button and save the certificate to a secure location. It is a .pem file with a name similar to 'MDM_COMODO GROUP LTD._Certificate.pem'

Step 3 - Upload your certificate to EM

- Return to EM, click 'Settings' > 'Portal Set-Up' > 'APNs Certificate'
- Click the 'Browse' button, locate your certificate file and select it.




- Click 'Save' to upload your certificate.

The APNs Certificate details interface will open:

The screenshot shows the 'APNs Certificate' management page. At the top, there are navigation tabs: 'Active Directory', 'APNs Certificate' (which is selected and underlined), 'Android Client Configuration', 'Windows Client Configuration', and 'Extend'. Below the tabs, the page title is 'APNs Certificate'. The main content area is divided into two columns. The left column is titled 'Certificate Details' and contains the following information: Country name (India), Locality name (Chennai), Organization name (Saddle and Pedals), Organization unit name (Sales), Common name (herculespopular22.net), and Email (herculespopular22@gmail.com). Above this column are two buttons: 'Renew' and 'Delete'. The right column is titled 'Additional Info' and contains: Activation date (2018/07/23 11:56:51 AM) and Expiry date (2019/07/23 11:56:51 AM).

Endpoint Manager can now communicate with iOS and Mac OS devices. You can enroll iOS devices and Mac OS devices for management.


- The certificate is valid for 365 days. EM will remind you when your certificate is due to expire.
- We advise you renew your certificate at least 1 week before expiry. If it is allowed to expire, you will need to re-enroll all your iOS and Mac devices.
 - Click 'Renew' in the APNs certificate details interface to renew the cert:



- Click 'Delete' only if you wish to remove the certificate so you can generate a new APNs certificate

Add Google Cloud Messaging (GCM) Token

- Endpoint Manager requires a Google Cloud Messaging (GCM) token in order to communicate with Android devices.
- Endpoint Manager ships with a default token, but you can also generate a unique GCM token if required.
- To get a token, you must first create a project in the Google Developers console.
- Please follow the steps below to create a project and upload a token.
- **Step 1 - Create a New Project**
 - Login to the Google Firebase API console at <https://console.firebase.google.com> , using your Google account.



- Click 'Add Project'

Add a project ✕

Project name 📱 + iOS + </>

▼ **Tip:** Projects span apps across platforms ?

Project ID ?

hercules-em ✎

Locations ?

United States (Analytics) ✎

us-central (Cloud Firestore) ✎

Use the default settings for sharing Google Analytics for Firebase data


- ✓ Share your Analytics data with Google to improve Google Products and Services
- ✓ Share your Analytics data with Google to enable technical support
- ✓ Share your Analytics data with Google to enable Benchmarking
- ✓ Share your Analytics data with Google Account Specialists

I accept the [controller-controller terms](#). This is required when sharing Analytics data to improve Google Products and Services. [Learn more](#)


I agree that I am using Firebase services in my app and I agree to the applicable [terms](#).

Cancel **Create project**


- Type a name for the new project in the 'Project name' field
- Click the pencil icon beside the 'Locations' field. Select your country and the Firestore server closest to you.
- 'Use default settings for sharing Google Analytics for Firebase data' - Leave this selected.
- Agree to the terms and conditions then click 'Create Project'.




- Click 'Continue' to go to the project dashboard




- **Step 2 - Obtain GCM Token and Project number**
 - Click the hamburger button at top-left
 - Click the gear icon beside 'Project Overview' and choose 'Project settings':



- The 'Settings' screen for the project will open.
- Click the 'Cloud Messaging' tab:



- Copy the server key and sender ID
- **Step 3 - Enter GCM Token and Project number**
 - Login to Endpoint Manager
 - Click 'Settings' > 'Portal Set-Up' > 'Android Client Configuration' and choose 'Android Cloud Messaging' tab



- Click the edit button  at the top right of the 'Cloud Messaging Token' column, to view the GCM token and project number fields

Cloud Messaging Token Cancel Save

Android (GCM) token (API key)

Android (GCM) project number

- Paste the 'Server key' into 'Android (GCM) Token' field.
- Paste the Sender ID into 'Android (GCM) Project Number' field.

Cloud Messaging Token [Cancel] [Save]

Android (GCM) token (API key)
AAAA8457TLo:APA91bFkf_isHDMdwz-
MGtxOdddH0wqPoXBbyvFqCX8LjSZ-HSU37_atF-
wKFGPwQvnCFpXOtYebZhCJ7SCNgbHPLVLeTVwIz9gIB3GEQ2Dq

Android (GCM) project number
1046067498170

- Click 'Save'.

Your settings will be updated and the token/project number displayed in the same interface.

Endpoint Manager can now use the token to communicate with Android devices.

Step 3 - Add Users

You can add users and staff via the C1 / ITarian console, or add them directly in Endpoint Manager (EM).


- Staff added in Comodo One/ITarian are universal to the platform. They will be available in Endpoint Manager and other platform applications like Service Desk, CRM and Quote Manager.
- Users directly added to Endpoint Manager are only available in Endpoint Manager.

You can add new accounts using any of the following methods:

- **Manually add users.** Add individual users to EM. You need to specify their name, email address, the company they belong to and their EM role.
- **Import users from a CSV file.** Bulk import users from a comma separated values file.
- Import users from Active Directory (AD) . [Click here](#) to see the help page on this method.

Manually Add Users

- Click 'Users' > 'User List'
- Click the 'Create User' button
- or
- Click the 'Add' button  on the menu bar and choose 'Create User'.



The 'Create new user' form will open.

Create New User

User Name*
Oxford

Email*
mmoxford@yahoo.com

Phone Number
9876543210

Company*
Default Company

Assign Role
Users

Submit

- Type a login username (mandatory), email address (mandatory) and phone number for the user
- Choose user's company (mandatory)
 - Comodo One MSP and ITarian MSP customers can add users from Companies/Organizations enrolled in their account.
 - Comodo One Enterprise, ITarian Enterprise and EM stand-alone customers can only add users to the default company.

- Choose a role. A 'role' determines user's permissions within Endpoint Manager. The product ships with four default roles:
 - **Account Admin** - Can login to EM and access all management interfaces. You cannot assign account admin to a user. The role is automatically assigned to the person who opened the C1 or ITarian account. This role is not editable.
 - **Administrators** - Can login to EM and access all management interfaces. This role can be edited as required.
 - **Technician** - Can login to EM and access all management interfaces. The technician role has fewer privileges than the administrator role. This role can be edited as required.
 - **Users** - Cannot login to EM. If required, you can change role permissions to have access to the admin console.

You can create custom roles which grant access to selected areas of EM. These roles can be assigned to users as required. All roles created in EM and C1 or ITarian will appear in the 'Assign Role' drop-down when adding a new user. See online help page for **Configuring Role Based Access Control for Users** for more details.

- Click 'Submit' to add the user to EM.

The user is added to list in the 'Users' interface. The user's devices can be enrolled to EM for management.

- Repeat the process to add more users.

If you add a user with admin role then an account activation mail will be sent to their registered email address.

Import Users from a CSV File

Process in brief

- Create a CSV file containing the list of users you want to add.
- The file should contain the following, separated values: 'Username' (mandatory), 'Email address' (mandatory) and 'Phone number' (optional).
- The file should not contain column headers and each line should contain a single user.
- Click 'Users' > 'User List' > 'Import User' in the Endpoint Manager console
- Browse to your CSV file
- Select a company and a role for the imported users
- Click 'Import users from list'.
- The users will be imported and enrolled to EM

Requirements for .csv file

There are two mandatory fields and one optional field per user account:

- Username (mandatory)
- Email address (mandatory)
- Phone number (optional)
- Each line in the CSV file should contain one user entry
- The CSV file should not contain column headers

Example:

```
"james", "james@ditherscons.com", "9876543210"
```

To import users from a list

- Click 'Users' > 'User List' > 'Import User'

The screenshot shows the Endpoint Manager interface. On the left, the 'USERS' menu item is circled in red. In the top right, the 'Import User' button is circled in red with an arrow pointing to the 'User import' modal below. The modal contains the following elements:

- Uploading status:** Ready
- CSV file *** with a 'Browse' button.
- Customer *** dropdown menu with 'Customer' selected.
- Role *** dropdown menu with 'Role' selected.
- Do not send any enrollment notifications
- Import users from list** button.

On the right side of the modal, there is a text block: "Use this page to import multiple users from a user list in CSV format." followed by an **Important:** section with the following instructions:

- use only comma (,) as a field delimiter;
- enter user names in the 1st column and email addresses in the 2nd column (both are mandatory), 3rd column is for phone numbers (optional);
- use no column headers.

- Click 'Browse' to locate and open the CSV file you want to import
- Choose user's company (mandatory)
 - Comodo One MSP and ITarian MSP customers can add users from Companies/Organizations enrolled in their account.
 - Start entering first few letters of the company name and select the company from the options
 - Comodo One Enterprise, ITarian Enterprise and EM stand-alone customers can only add users to the default company.
 - Enter 'Default Company' in the Company field
- Choose user role. See **above** if you need a recap on roles.
 - Type the first few letters of the role label and select from the suggestions.
- Click 'Import users from List'
- Imported users are added to the 'Users' interface. You can now add devices for the user.
- Users will receive an account activation mail if they are assigned a role that has access to the admin console. This includes the standard 'Administrator' and 'Technician' roles.

Tip - Enable 'Silent mode' in the import screen if you do not want to send these mails.


Step 4 - Enroll User devices

The next step is to enroll user devices for management.


- Each device license covers one mobile device or one Windows / Mac / Linux endpoint per user.
- If you add more than one device for a single user then an additional license is required. Admins can purchase additional licenses from the Comodo website or C1 / ITarian purchase page.

Enroll user devices

- Click 'Users' > 'User List' on the left
- Select users for whom you want to enroll devices and click the 'Enroll Device' button above the table
- Or
- Click the 'Add' button  at the menu bar and choose 'Enroll Device'.



Next, select the users you want to add:




- **Choose device owners** - This is pre-populated with the users you selected in the 'User List' interface. You can add more users by typing the few letters of their name.
- **Show enrollment instructions** - Displays instructions on how to add devices to Endpoint Manager. This is


useful for admins who want to enroll their own devices, or who just want to see an overview of the process.

- **Email enrollment instructions** - Sends an email to target users with instructions on how to enroll their device. Users should open the mail on the target device itself.

You will see a confirmation message as follows:



- An example mail is shown below:



- The link takes the user to a page which lets them download the communication client/profile:



Welcome to Endpoint Manager!

You are receiving this mail because your administrator wishes to enroll your smartphone, tablet, macOS, Linux or Windows device into the Endpoint Manager system. Doing so will make it easier and more secure to connect your personal devices to company networks. This mail explains how you can complete the enrollment process in a few short steps.

NOTE:
Make sure that you selected the operating system of the device that you want to enroll.

This product allows the system administrator to collect device and application data, add/remove accounts and restrictions, list, install and manage apps, and remotely erase data on your device.

FOR WINDOWS DEVICES

Enroll using this link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/windows/msi/token/75274a245b0a00d8de7eb7ff4ef0cb54>

FOR MACOS DEVICES

Choose enrollment type:

- Enrollment with MDM profile - Recommended
Download and install Communication Client by clicking the following link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/osa/package/token/75274a245b0a00d8de7eb7ff4ef0cb54/installAppleProfile/1>
- Enrollment without MDM profile
Download and install Communication Client by clicking the following link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/osa/package/token/75274a245b0a00d8de7eb7ff4ef0cb54/installAppleProfile>
Please note that you will not be able to manage Certificate, Restrictions, VPN and WiFi profile sections of macOS devices enrolled without MDM profile.

FOR IOS DEVICES

- 1) Open the following link on the browser of the device you want to enroll
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/apple/index?token/75274a245b0a00d8de7eb7ff4ef0cb54>
- 2) When your profile has been enrolled, you will be requested to install Communication Client application. Upon completion of the installation, there will be a green icon labeled "Run after installation" shown just like a new application. Tap the green icon and follow on-screen instructions to complete enrollment process.

FOR ANDROID DEVICES

Download and install Communication Client by tapping the following link:
<https://play.google.com/store/apps/details?id=com.itanian.em>

Upon completion of the installation, enroll using this link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/android/index?token/75274a245b0a00d8de7eb7ff4ef0cb54>

FOR LINUX DEVICES

Download and install Communication Client by tapping the following link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/linux/run/token/75274a245b0a00d8de7eb7ff4ef0cb54>

Use the same link for manual enrollment if required.

- 1) Change installer mode to executable:

```
$ chmod +x ${installation files}
```
- 2) Run installer with root privileges:

```
$ sudo ./${installation files}
```

MANUAL ENROLLMENT

Use the following settings:


Host: **frontfork-msp.dmdemo.comodo.com**
Port: **443**
Token: **75274a245b0a00d8de7eb7ff4ef0cb54**

Sincerely, Endpoint Manager team.

The user should open the mail on the device you want to enroll. They should click the enrollment link suitable for their device.

Enroll Android Devices


The device enrollment page contains two links. The first to download the Android app and the second to enroll the device:



1. User opens the enrollment page on the target device and taps the 1st link to install the EM communication client.
2. After the client has been installed, the user clicks the 2nd link to enroll their device to EM. The client will connect to EM then request the user to tap 'Activate' to enroll the device.


Enroll iPhones, iPods and iPads

- Users should scroll down to the 'FOR IOS DEVICES' section and click the first link.
- This will install the Endpoint Manager client authentication certificate and profile.




Note: Users must keep their device switched on at all times during enrollment. The enrollment process may fail if the device auto-locks or enters standby.

- After installing the profile, the communication client installation process will begin.
- The client is essential for features such as app management, GPS location and EM messaging.



- The app is downloaded from the iTunes store using the user's iTunes account.
- After installation, users should tap the green 'Run After Install' icon on the home screen and complete registration:



The device will be enrolled and connected to EM.

Enroll Mac OS Devices

MAC devices can be added either with or without installing the Endpoint Manager profile.

- Apple only allows one portal to use the protocol which manages devices. This causes issues with customers who want to use Endpoint Manager in conjunction with another management platform.
- 'Profile-less' enrollment lets you use Endpoint Manager to manage security while using another platform for general Mac management.

- However, you cannot manage the following items if you choose 'profile-less' enrollment:
 - Certificates
 - Restrictions
 - VPN
 - Wi-Fi
- See the following for more guidance:
 - **Enrollment with MDM Profile**
 - **Enrollment without MDM Profile**

Enroll with MDM Profile

- Scroll down to the 'FOR MAC OS DEVICES' section.
- Click the link under 'Enrollment with MDM profile'

application data, add/remove accounts and restrictions, list, install and manage apps, and remotely erase data on your device.

X FOR MACOS DEVICES


Choose enrollment type:

- **Enrollment with MDM profile - Recommended**
Download and install Communication Client by clicking the following link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/osx/package/token/75274a245b0a00d8de7eb7ff4ef0cb54/installAppleProfile/1>
- **Enrollment without MDM profile**
Download and install Communication Client by clicking the following link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/osx/package/token/75274a245b0a00d8de7eb7ff4ef0cb54/installAppleProfile>
Please note that you will not be able to manage Certificate, Restrictions, VPN and WiFi profile sections of macOS devices enrolled without MDM profile.


Apple FOR IOS DEVICES

1) Open the following link on the browser of the device you want to


This will start the installation wizard for the communication client and EM profile:



- The user follows the wizard and completes the installation.
- The device profiles screen appears when installation is complete:



The client will connect to the EM server:



Enroll without MDM Profile

- Scroll down to the 'FOR MAC OS DEVICES' section.
- Open the link under 'Enrollment **without** MDM profile'

application data, add/remove accounts and restrictions, list, install and manage apps, and remotely erase data on your device.

FOR MACOS DEVICES

Choose enrollment type:


- Enrollment with MDM profile - Recommended
Download and install Communication Client by clicking the following link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/osx/package/token/75274a245b0a00d8de7eb7ff4ef0cb54/installAppleProfile/1>

- Enrollment without MDM profile
Download and install Communication Client by clicking the following link:
<https://frontfork-msp.dmdemo.comodo.com:443/enroll/osx/package/token/75274a245b0a00d8de7eb7ff4ef0cb54/installAppleProfile>
Please note that you will not be able to manage Certificate, Restrictions, VPN and WiFi profile sections of macOS devices enrolled without MDM profile.


FOR IOS DEVICES

1) Open the following link on the browser of the device you want to

This will start the installation wizard for the communication client:




- The user follows the wizard and completes the installation.
- Once installation is complete, the client starts communicating with the EM portal.




Enroll Windows PCs

The device enrollment page contains a single enrollment link under 'For Windows Devices'.




The user clicks this link to download the EM communication client. Once installed, the client will enroll the device into EM.

You can check whether the devices are successfully enrolled from the 'Devices' > 'Device List' interface.



Enroll Linux Devices

The device enrollment page contains a single enrollment link under 'For Linux Devices'.



- Click the enrollment link under 'For Linux Devices' and save the file.

The communication client setup file will be downloaded.

You can install the client on the Linux device by completing the following:


1. Change installer mode to executable - enter the following command:

```
$ chmod +x {$installation file$}
```
2. Run installer with root privileges - enter the following command:

```
$ sudo ./{$installation file$}
```

For example:

```
chmod +x itsm_cTjIw6gG_installer.run  
sudo./itsm_cTjIw6gG_installer.run
```



```
c1@c1-VirtualBox: ~/Downloads  
c1@c1-VirtualBox:~$ ls  
Desktop Downloads km-0409.ini Pictures Templates  
Documents examples.desktop Music Public Videos  
c1@c1-VirtualBox:~$ cd Downloads/  
c1@c1-VirtualBox:~/Downloads$ ls  
itsm_cTjIw6gG_installer.run  
c1@c1-VirtualBox:~/Downloads$ chmod +x itsm_cTjIw6gG_installer.run  
c1@c1-VirtualBox:~/Downloads$ sudo ./itsm_cTjIw6gG_installer.run  
[sudo] password for c1:  
Verifying archive integrity... All good.  
Uncompressing Linux ITSM Agent 100%  
system system  
cTjIw6gG  
Created symlink from /etc/systemd/system/multi-user.target.wants/itsm.service to  
/etc/systemd/system/itsm.service.  
Your device is now enrolled!  
Service started  
c1@c1-VirtualBox:~/Downloads$
```


- After installation, the client will connect to EM and enroll the device.

Step 5 - Create Groups of Devices (optional)

- You can create groups of Android, iOS, Windows, Mac OS and Linux devices to view, manage and apply policies to large numbers of devices. Dedicated configuration profiles can be created for each group.
- Each group can contain devices of different OS types. OS specific profiles which are applied to a group will be deployed appropriately.
 - C1 MSP / ITarian MSP customers can create separate device groups for each Company/Organization in their account.
 - C1 Enterprise / ITarian Enterprise and EM stand-alone customers can only create groups under the 'Default Company'.

To create a device group

- Click 'Devices' > 'Device List'
- Click the 'Group Management' tab
 - C1 MSP / ITarian MSP customers should choose a company in the middle pane
- Click the 'Create Group' button
 - Alternatively place your mouse over the company name and click the '+' sign that appears:



The 'Add Group' interface will open:

Add Group

Name *

Company *

Devices

- You now have to name the group and choose the device(s). Enter a name in the 'Name' field. Type the first few letters of the device name in the Devices field and choose the device from the drop-down that appears. Repeat the process to add more devices.
 - You can also add devices after the group is created. Click on the group name then click the 'Add to Group' button. You can then select devices from the list.
- Click 'OK'. Repeat the process to create more groups.

The next step is to create profiles, which is **explained in the next section**.

Step 6 - Create Configuration Profiles

- A configuration profile is a collection of settings which is applied to iOS, Android, Windows, Linux and Mac devices.
- Each profile allows you to specify a device's network access rights, overall security policy, antivirus scan schedule and general device settings.


- There are two main types of profile - 'Custom' and 'Default'. You can create custom profiles for users and user groups.
- Default profiles are those that are applied if no custom profile exists. Default profiles are applied on a per operating system basis. There are default profiles for all supported operating systems (Windows, Mac, iOS, Android and Linux).
 - This ensures all devices have a working profile installed. If you remove a custom profile then the default is automatically installed to take its place.
 - You can designate any profile you want as a 'default' profile. You can have multiple default profiles per operating system.
- Profiles are applied at the time a device connects to the network. Profiles remain in effect unless the communication client is uninstalled from the device, or the profile itself is removed/disabled.

Profile specifications differ between Android, iOS, Mac OS, Windows and Linux Devices:

- **Android profiles**
- **iOS profiles**
- **Mac OS profiles**
- **Windows Profiles**
- **Linux Profiles**

Create an Android Profile


- Click 'Configuration Templates' > 'Profiles'
- Click the 'Create' button > 'Create Android Profile':



The 'Create Android Profile' dialog box is shown. It has a dark blue header with the title 'Create Android Profile' and a close button (X). Below the header, there are two input fields: 'Name *' with a placeholder 'Name' and 'Description' with a placeholder 'Description'. At the bottom right, there is a blue 'Create' button.

- Enter a name and description for the profile and click 'Create'.


The profile is created and the 'General Settings' for the profile is displayed.



- If you want this profile to be a default policy, click the 'make default' button at the top. Alternatively, click the 'Edit' button  on the top right of the 'General' settings screen and enable the 'Is Default' check box.
- Click 'Save'.

The next step is to add the components for the profile.

- Click the 'Add Profile Section' drop-down and select the component from the list that you want to include for the profile



The settings screen for the selected component will be displayed and, after saving, the new section will become available as a link. You can configure passcode settings, feature restrictions, antivirus settings Wi-Fi settings and more. If a component is not configured, the device will continue to use existing, user-defined settings or settings that have been applied by another EM profile.

- Click 'Save' in each configuration screen for the parameters and options selected in that screen to be added to the profile.

See **Profiles for Android Devices** in the full guide for more information on these settings. In brief:


- **General** - Profile name, description and whether or not this is a default profile. These were configured in the previous step. Default profiles are automatically applied upon device enrollment.
- **Antivirus Settings** - Schedule antivirus scans on the device and specify trusted Apps to be excluded from AV scans.
- **Bluetooth Restrictions** - Specify Bluetooth restrictions such as to allow device discovery via Bluetooth, allow outgoing calls and more. This profile is supported for SAFE devices only.
- **Browser Restrictions** - Configure browser restrictions such as to allow pop-ups, javascript and cookies. This profile is supported for SAFE devices only.
- **Certificate** - Upload certificates and this will act as a certificate store from which the certificates can be selected for use in other settings such as 'Wi-Fi', 'Exchange Active Sync', 'VPN' and so on.
- **CCM Certificates** - Request client and device authentication certificates. Note - The 'CCM Certificates' section only appears if you have integrated Endpoint Manager with your Sectigo (formerly Comodo CA) account. See **Integrate with Sectigo Certificate Manager** in the EM online admin guide for more help with this.
- **Email** - Configure email account, connection and security details for users accessing incoming and outgoing mails from their devices. This profile is supported for SAFE devices only.
- **Active Sync Settings** - Specify account name, host, domain and other settings to facilitate connections from devices under this profile to Microsoft Exchange Active Sync servers. This profile is supported for

SAFE devices only.


- **Kiosk** - Enable and configure Kiosk Mode for SAFE devices like the Samsung Galaxy range. Kiosk Mode allows administrators to control how applications run on managed devices and whether SMS/MMS are allowed. This profile is supported for SAFE devices only.
- **Native App Restrictions** - Configure which native applications should be accessible to users. Native applications are those that ship with the device OS and include apps like Gmail, YouTube, the default Email client and the Gallery. This feature is supported for Android 4.0+ and Samsung for Enterprise (SAFE) devices such as Galaxy smartphones, Galaxy Note devices and Galaxy tablets.
- **Network Restrictions** - Specify network permissions such as minimum level of Wi-Fi security required to access that Wi-Fi network, allow user to add more Wi-Fi networks in their devices, type of text and multimedia messages to be allowed and configure whitelist/blacklisted Wi-Fi networks. This profile is supported for SAFE devices only.
- **Passcode** - Specify passcode complexity, minimum length, timeout-before-lock, failed logins before wipe (0=unlimited/never wipe), failed logins before capturing the photo of the possessor and location to recover lost or mislaid device, maximum lifetime of passcode in days and number of previous passcodes from which the new passcode should be unique.
- **Restrictions** - Configure default device settings for Wi-Fi connection and cellular network connection, whether users should be able to disable app verification, background traffic, bluetooth on/off, whether camera use is allowed, whether the user is allowed to encrypt data stored on the device and whether or not they are allowed to install applications from unknown sources.
- **VPN** - Configure directory user-name, VPN host, connection type and method of authentication for users wishing to connect to your internal network from an external location, whether to forcibly maintain VPN connection and more. This profile is supported for SAFE devices only.
- **Wi-Fi** - Specify the name (SSID), security configuration type and password (if required) of your wireless network to which the devices are to be connected. You can add other wireless networks by clicking 'Add new Wi-Fi section'.
- **Other Restrictions** - Configure a host of other permissions such as use of microphone, SD card, allow screen capture and more. This profile is supported for SAFE devices only.

Create an iOS Profile

- Click 'Configuration Templates' > 'Profiles'
- Click 'Create' > 'Create iOS Profile'



- Enter a name and description for the profile and click 'Create'.
- The profile is created and the 'General Settings' for the profile is displayed.




- If you want this profile to be a default policy, click the 'Make default' button at the top. Alternatively, click the 'Edit' button  on the right of the 'General' settings screen and enable the 'Is Default' check box.

- Click 'Save'.

The next step is to add profile sections.

- Each profile section contains a range of settings for a specific management feature.
- For example, there are profile sections for 'Email', 'Single Sign-On', 'LDAP', 'Cellular Networks' and so on.
- You can add as many different sections as you want when building your device profile.
- To get started:
 - Click 'Add Profile Section'
 - Select the component that you want to add to the profile:



- **General** - Profile name, description and whether or not this is a default profile. These were configured in the previous step. Default profiles are automatically applied upon device enrollment.
- **Airplay** - Allows you to whitelist devices so they can take advantage of Apple Airplay functionality (iOS 7 +)
- **Airprint** - Specify the location of Airprint printers so they can be reached by devices under this profile (iOS 7 +)
- **APN** - Specify an Access Point Name for devices on this profile. APN settings define the network path for all cellular data. This area allows you to configure a new APN name (GPRS access point),


username/password and the address/port of the proxy host server. The APN setting is replaced by the 'Cellulars' setting in iOS7 and over.

- **Calendar** - Configure CalDAV server and connection settings which will allow device integration with corporate scheduling and calendar services.
- **Cellular Networks** - Configure cellular network settings. The 'cellulars' setting performs a similar role to the APN setting and actually replaces it in iOS 7 and above.
- **Certificate** - Upload certificates and this will act as a certificate store from which the certificates can be selected for use in other settings such as 'Wi-Fi', 'Exchange Active Sync', 'VPN' and so on.
- **CCM Certificates** - Request client and device authentication certificates. Note - The 'CCM Certificates' section only appears if you have integrated Endpoint Manager with your Sectigo (formerly Comodo CA) account. See **Integrate with Sectigo Certificate Manager** in the online EM admin guide for more help with this.
- **Contacts** - Configure CardDAV account, host and user-settings to enable contact synchronization between different address book providers (for example, to synchronize iOS contacts and Google contacts).
- **Active Sync Settings** - Specify account name, host, domain and other settings to facilitate connections from devices under this profile to Microsoft Exchange Active Sync servers.
- **Global HTTP Proxy** - Global HTTP proxies are used to ensure that all traffic going to and coming from an iOS device is routed through a specific proxy server. This, for example, allows the traffic to be packet-filtered regardless of the network that the user is connected through.
- **LDAP** - Configure LDAP account settings for devices under this profile so users can connect to company address books and contact lists.
- **E-mail** - Configure general mail server settings including incoming and outgoing servers, connection protocol (IMAP/POP), user-name/password and SMIME/SSL preferences.
- **Passcode** - Specify passcode complexity, minimum length, timeout-before-lock, failed logins before wipe (0=unlimited/never wipe), failed logins before capturing the photo of the possessor and location to recover lost or mislaid device, maximum lifetime of passcode in days and number of previous passcodes from which the new passcode should be unique.
- **Proxy** - Allows you to specify the proxy server, and their credentials, to be used by the device for network connections.
- **Restrictions** - Configure default device settings for Wi-Fi connection and cellular network connection, whether users should be able to disable app verification, background traffic, bluetooth on/off, whether camera use is allowed, whether the user is allowed to encrypt data stored on the device and whether or not they are allowed to install applications from unknown sources.
- **Single Sign-On** - iOS 7 +. Configure user credentials that can be used to authenticate user permissions for multiple enterprise resources. This removes the need for a user to re-enter passwords. In this area, you will configure Kerberos principal name, realm and the URLs and apps that are permitted to use Kerberos credentials for authentication.
- **Subscribed Calendars** - Specify one or more calendar services which you wish to push notifications to devices under this profile.
- **VPN** - Configure directory user-name, VPN host, connection type and method of authentication for users wishing to connect to your internal network from an external location. This profile is supported for iOS 7 and above.
- **VPN Per App** - Configure VPN as above but on a per-application basis. This profile is supported for iOS 7 and above.
- **Web Clip** - Allows you to push a shortcut to a website onto the home-screen of target devices. This section allows you to choose an icon, label and target URL for the web-clip.
- **Wi-Fi** - Specify the name (SSID), security configuration type and password (if required) of your wireless network to which the devices are to be connected.
- **App Lock** - Configure restrictions on usage of device resources for selected applications.


See **Profiles for iOS Devices** in the main guide for more details on this area. In brief, iOS device profiles are more detailed than Android profiles.

Create a Mac OS Profile

- Click 'Configuration Templates' > 'Profiles'
- Click 'Create' > 'Create Mac OS Profile'




- Enter a name and description for the profile (for example, 'Sales Dept Mac machines', 'Mac Air Books' or 'Field Executives Laptops') and click 'Create'.
- The profile will be created and the 'General Settings' for the profile will be displayed.




- 'Make Default' - A 'default' profile is one that is applied automatically to any device which matches its operating system. Click this button if you want all MAC OS devices to receive this profile.
- Click 'Save'.

The next step is to add sections to the profile. Each section lets you define settings for a particular security or management feature.

- Click 'Add Profile Section' then select the section you want to add from the list:



The new section will appear as a tab under the profile name. You can add as many sections as required to a profile.



- Configure the settings and click 'Save'.

The new section will become available as a tab. You can configure antivirus settings, certificate settings, device restrictions, VPN connection parameters, Wi-Fi connection parameters and more. If a component is not configured, the device will continue to use existing settings, or settings that have been applied by another EM profile.


- Click 'Save' in each configuration screen for the parameters and options selected in that screen to be added to the profile.

See **Profiles for Mac OS Devices** in the main guide for more details on this area. In brief:

- **Antivirus** - Enable on-access scanning of files, configure scan and alert options, set alert time out period, maximum size for files to be scanned, files to be excluded and more.
- **Certificates** - Upload certificates and this will act as a certificate store from which the certificates can be selected for use in other settings like 'Wi-Fi and 'VPN'.
- **CCM Certificates** - Request client and device authentication certificates. Note - The 'CCM Certificates' section only appears if you have integrated Endpoint Manager with your Sectigo (formerly Comodo CA) account. See **Integrate with Sectigo Certificate Manager** in the online EM admin guide for more help with this.
- **Restrictions** - Configure restrictions on device functionality and features, iCloud access and so on.
- **VPN** - Configure directory user-name, VPN host, connection type and method of authentication for users wishing to connect to your internal network from an external location and more.
- **Wi-Fi** - Specify the name (SSID), security configuration type and password (if required) of your wireless network to which the devices are to be connected.
- **Remote Control** - Allows you to configure settings for remote takeover and notifications which are shown to end-users before and during a remote control session.

Create a Windows profile

- Click 'Configuration Templates' > 'Profiles' > 'Create' > 'Create Windows Profile':




Create Windows Profile

Name *

Description

Create


- Enter a name and description for the profile (for example, 'Sales Dept endpoints', 'Win7 Machines' or 'Field Executives Laptops') and click 'Create'.
- The profile will be created and the 'General Settings' for the profile will be displayed.



- Click 'Edit' if you wish to modify basic profile settings:
 - 'Is Default?' - If a policy is set as 'Default' then it will be automatically applied to every Windows device. You can have multiple 'default' policies to address different requirements.
 - Alternatively, you can select a policy and click the 'Make Default' button.
- Click 'Save'.

The next step is to add the components for the profile.

- Click the 'Add Profile Section' drop-down button and select the component that you want to include in the profile.



The settings screen for the selected component will open.

- Configure the settings and parameters and click 'Save'

The new section will become available as a tab in this interface. You can configure Antivirus, Firewall, Containment, File Rating, Valkyrie, HIPS, Monitoring, Procedures, External devices control, Remote control, VirusScope, Logging, Update and Miscellaneous settings. In addition, you can configure the Proxy and Agent Discovery Settings for each profile, for use in Firewall and HIPS rules configured for the profile.

If a component is not configured, the device will continue to use existing, user-defined settings or settings that have been applied by another EM profile.


- Click 'Save' in each configuration screen for the parameters and options selected in that screen to be added to the profile.

See **Profiles for Windows Devices** in the full guide for more information on these settings. In brief:

- **Antivirus** - Enable on-access scanning of files, configure scan and alert options, set alert time out period, maximum size for files to be scanned, files to be excluded and more.
- **Updates** - Set the conditions for Comodo Client Security (CCS) to automatically download and install program and virus database updates.
- **File Rating** - Enable cloud lookup for checking reputation of files accessed in real-time, configure options for files to be trusted and detecting potentially unwanted applications. For more details on File Rating in CCS, refer to the [help page explaining File rating Settings](#) in [CCS online help guide](#).
- **Firewall** - Enable/Disable the Firewall component, configure Firewall behavior, add and manage Application and Global Firewall rules and more. See [help page explaining Firewall Settings](#) in [CCS online help guide](#), for more details on Firewall in CCS.
- **HIPS** - Enable Host Intrusion Prevention System (HIPS) and its behavior, configure HIPS rules and define Protected Objects at the endpoints. See [help page explaining HIPS Settings](#) in [CCS online help guide](#), for more details on HIPS in CCS.
- **Containment** - Enable Auto-containment of unknown files, add exclusions, and configure containment behavior and alert options and view and manage Containment Rules for auto-containing applications. See help page explaining [Containment](#) in [CCS online help guide](#), for more details on Containment in CCS.
- **VirusScope** - Enable VirusScope that monitors the activities of processes running at the endpoints and generates alerts if they take actions that could potentially threaten your privacy and/or security and configure options for alert generation. See [help page explaining VirusScope](#), for more details on VirusScope in CCS online help guide.
- **Valkyrie** - Valkyrie is a cloud based file analysis system. look-up system. It uses a range of static and dynamic detectors including heuristics, file look-up, real-time behavior analysis and human expert to analyze the submitted files and determine if the file is good or bad (malicious). You can enable Valkyrie and its components and set a schedule for submitting unknown files identified from the endpoints.
- **Global Proxy** - Specify a proxy server through which endpoints should connect to external networks like the internet.
- **Clients Proxy** - Specify a server through which Comodo Client Security (CCS) and Communication Client (CC) should connect to EM and Comodo servers.
- **Agent Discovery Settings** - Specify whether or not communication client should send logs to EM about antivirus and containment events.
- **UI Settings** - Configure the appearance of the communication client (CC) and Comodo Client Security (CCS). You can re-brand CC and CCS with your own company name, logo, product name and product logo and select which components of CCS should be visible to end-users.
- **Logging Settings** - Enable event logs, configure max. log file size and other settings.
- **Monitors Settings** - Configure performance and availability conditions for various events and services. An alert will be triggered if the conditions are breached. For example, you can monitor free disk space, service and web page availability, CPU/RAM usage, device online status and more.
- **CCM Certificates** - Request client and device authentication certificates. Note - The 'CCM Certificates' section only appears if you have integrated Endpoint Manager with your Sectigo (formerly Comodo CA) account. See [Integrate with Sectigo Certificate Manager](#) in the online EN admin guide for more help with this.
- **Procedures** - Allows you to add, view, delete and prioritize procedures which have been added to a profile.
- **Remote Control** - Configure remote access settings.
- **Remote Tools** - Enable/disable remote access to endpoint files and processes. You can also configure how notifications are shown during a remote session.
- **Miscellaneous** - Monitor the registry for changes to auto-run items, services, and scheduled tasks by unrecognized files.
- **Script Analysis Settings** - Enable / disable Heuristic command line analysis and embedded Code Detection and select programs to be monitored.

Create a Linux Profile

- Click 'Configuration Templates' > 'Profiles'
- Click 'Create' > 'Create Linux Profile'



Create Linux Profile [X]


Name *

Description

Create

- Enter a name and description for the profile
- Click the 'Create' button


The Linux profile will be created and the 'General Settings' section will be displayed. The new profile is not a 'Default Profile' by default.




- If you want this profile to be a default policy, click the 'Make Default' button at the top. Alternatively, click the 'Edit' button on the right of the 'General' settings screen and enable the 'Is Default'.check box.
- Click 'Save'.

The next step is to add the components for the profile.

- Click the 'Add Profile Section' drop-down button and select the component from the list that you want to include for the profile.



The settings screen for the selected component will be displayed. An example is shown below:



- Configure the settings and click 'Save'.

The new section will become available as a tab. You can configure antivirus settings, interface language settings, logging settings, password protection to the CCS application on the endpoint and more. If a component is not configured, the device will continue to use existing, user-defined settings or settings that have been applied by another EM profile.


- Click 'Save' in each configuration screen for the parameters and options selected in that screen to be added to the profile.

See **Profiles for Linux Devices** in the main guide for more details on this area. In brief:

- **Antivirus** - Enable on-access scanning of files, configure scan profiles, timetable scheduled scans, set maximum size for files to be scanned, files to be excluded and more.
- **Updates** - Enable/disable program and virus signature database updates, configure the server from which the updates are to be downloaded and more.
- **UI Settings**- Select the interface language for CCS on the endpoint.
- **Logging Settings** - Enable event logs, configure max. log file size and other settings.
- **Client Access Control** - Password protect access to the CCS application on the endpoint.

Step 7 - Apply profiles to devices or device groups

- Click 'Devices' > 'Device List'
- Click the 'Device Management' tab in the top-menu
 - Select a company or a group to view just their devices
 - Or
 - Select 'Show all' to view every device enrolled to EM
- Select the device you want to manage and click 'Manage Profiles':



The screen lists all profiles active on the device.

- Click 'Add Profiles'

This will open a list of all suitable profiles chosen device, excluding those that are already applied.

Manage Profiles of DESKTOP-D80SVJJ

Add Profiles

Remove Profiles

<input type="checkbox"/>	OS TYPE	PROFILE NAME	OWNER
<input type="checkbox"/>	Windows	Finance Department Windows Computers	herculespopular22@gmail...

Add Profiles to DESKTOP-D80SVJJ

Save

<input type="checkbox"/>	OS TYPE	PROFILE NAME	OWNER
<input type="checkbox"/>	Windows	Default Profile for Windows Devices	herculespopular...
<input type="checkbox"/>	Windows	Default Profile for Windows	herculespopular...
<input checked="" type="checkbox"/>	Windows	Suspicious Files Folder for John	herculespopular...
<input checked="" type="checkbox"/>	Windows	Monitoring Important Data	herculespopular...
<input type="checkbox"/>	Windows	Patch Procedure	herculespopular...

- Select the profiles you want to apply to the device
- Click 'Save' at top-left to apply the profiles to the device.

To apply profiles to a *group* of devices

The procedure is similar to adding profile(s) to a device except for the second step.

1. Click the 'Devices' tab on the left and choose 'Device List ' from the options.
2. Click the 'Group Management' tab
3. Choose the Company to view the list of groups in the right pane (for C1 MSP customers)
4. Click the name of the device group
5. Click 'Manage Profiles'
6. Select the profile(s) to be applied to the devices in the group
7. Click 'Add Selected' on the top left to add the selected profile(s) to the device group

If you have successfully followed all 7 steps of this quick start guide then you should have a created a basic working environment from which more detailed strategies can be developed. Should you need further assistance, each topic is covered in more granular detail in the full administrator guide. If you have problems that you feel have not been addressed, then please contact mdmsupport@comodo.com.

About Comodo Security Solutions

Comodo Security Solutions is a global innovator of cybersecurity solutions, protecting critical information across the digital landscape. Comodo provides complete, end-to-end security solutions across the boundary, internal network and endpoint with innovative technologies solving the most advanced malware threats. With over 80 million installations of its threat prevention products, Comodo provides an extensive suite of endpoint, website and network security products for MSPs, enterprises and consumers.

Continual innovation and a commitment to reversing the growth of zero-day malware, ransomware, data-breaches and internet-crime distinguish Comodo Security Solutions as a vital player in today's enterprise and home security markets.

About Comodo Cybersecurity

In a world where preventing all cyberattacks is impossible, Comodo Cybersecurity delivers an innovative cybersecurity platform that renders threats useless, across the LAN, web and cloud. The Comodo Cybersecurity platform enables customers to protect their systems and data against even military-grade threats, including zero-day attacks. Based in Clifton, New Jersey, Comodo Cybersecurity has a 20-year history of protecting the most sensitive data for both businesses and consumers globally. For more information, visit [comodo.com](https://www.comodo.com) or our [blog](#). You can also follow us on [Twitter](#) (@ComodoDesktop) or [LinkedIn](#).

1255 Broad Street

Clifton, NJ 07013

United States

Tel : +1.877.712.1309

Tel : +1.888.551.1531

<https://www.comodo.com>

Email: <mailto:EnterpriseSolutions@Comodo.com>